

Revision Date: 03/28/2023

SAFETY DATA SHEET

1. Identification

Material name: VERSASPEED RMC - 50LB BAG

Material: 083PGU 50

Recommended use and restriction on use

Recommended use: Cement, Portland, chemicals

Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD **CLEVELAND OH 44110** US

Contact person: EH&S Department Telephone: 216-531-9222

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 1 Skin sensitizer Category 1 Category 1A Carcinogenicity Specific Target Organ Toxicity -Category 1¹

Repeated Exposure

Target Organs

1. Lung

Unknown toxicity - Health

Acute toxicity, oral 16.89 % 92.11 % Acute toxicity, dermal Acute toxicity, inhalation, vapor 99.99 % Acute toxicity, inhalation, dust 20.4 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 3

environment

Chronic hazards to the aquatic Category 3

environment

Unknown toxicity - Environment



Revision Date: 03/28/2023

Acute hazards to the aquatic 90.54 %

environment

Chronic hazards to the aquatic 90.54 %

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Causes skin irritation.

Causes serious eye damage. May cause an allergic skin reaction.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection. Use personal

protective equipment as required.

Response: IF ON SKIN: Wash with plenty of soap and water. Wash contaminated

clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor. IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients



Revision Date: 03/28/2023

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	50 - <100%
Portland cement	65997-15-1	10 - <20%
Fused calcium aluminate	65997-16-2	5 - <10%
Calcium Carbonate (Limestone)	1317-65-3	5 - <10%
Calcium sulfate	7778-18-9	1 - <5%
Magnesite	546-93-0	0.1 - <1%
Fumed silica	69012-64-2	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air.

Skin Contact: Get medical attention. Destroy or thoroughly clean contaminated

shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic

skin reaction develops, get medical attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Personal Protection for First-

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

Symptoms: Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous

membranes, including burning and tearing.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.



Revision Date: 03/28/2023

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for

containment and cleaning

up:

Collect spillage in containers, seal securely and deliver for disposal

according to local regulations.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):

Mechanical ventilation or local exhaust ventilation may be required.

Observe good industrial hygiene practices. Observe occupational exposure

limits and minimize the risk of inhalation of dust.

Safe handling advice: Wash hands thoroughly after handling. Do not handle until all safety

precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in

eyes. Avoid contact with skin. Avoid contact with eyes, skin, and

clothing. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in

case of handling which causes formation of dust.

Contact avoidance measures: No data available.



Revision Date: 03/28/2023

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Do not get in eyes. Wash

contaminated clothing before reuse. Avoid contact with skin. Contaminated

work clothing should not be allowed out of the workplace.

Storage

Safe storage conditions: Store locked up.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2020)
Portland cement - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended (2011)
Portland cement - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Portland cement - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Portland cement	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Calcium Carbonate (Limestone) - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Calcium Carbonate (Limestone) - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Calcium sulfate - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Calcium sulfate - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Calcium sulfate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Calcium sulfate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Calcium sulfate - Inhalable fraction.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
Calcium sulfate - Respirable	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air





Revision Date: 03/28/2023

fraction.			Contaminants (29 CFR 1910.1000), as
Coloium gulfato. Total dust	PEL	1.F. m. a.l.m.?	amended (02 2006) US. OSHA Table Z-1 Limits for Air
Calcium sulfate - Total dust.	PEL	15 mg/m3	Contaminants (29 CFR 1910.1000), as
Coloium aulfata Bassirabla	TWA	15 millions of	amended (02 2006) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Calcium sulfate - Respirable fraction.	IVVA		amended (09 2016)
rraction.		particles per	amended (09 20 16)
		cubic foot of	
Coloium sulfata. Total dust	TWA	air	LIC OCUA Table 7.2 (00 CED 4040 4000) as
Calcium sulfate - Total dust.	IWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		particles per	amended (09 2016)
		cubic foot of	
0.1: 16: 5 : 11	T) 4 (4	air	110 COLLA T. I.I. 7 C (CC OFF) 4040 4000)
Calcium sulfate - Respirable	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
fraction.			amended (09 2016)
Calcium sulfate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
			amended (09 2016)
Magnesite - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000), as
			amended (02 2006)
Magnesite - Respirable	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air
fraction.			Contaminants (29 CFR 1910.1000), as
			amended (02 2006)
Magnesite - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
· ·		· ·	amended (09 2016)
Magnesite - Respirable	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as
particles.		3	amended (01 2021)
Magnesite - Total dust.	TWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
Magnesite Total addi.	' ' ' '	particles per	amended (09 2016)
		cubic foot of	amenaea (00 2010)
		air	
Magnesite - Inhalable	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as
particles.	'WA	10 1119/1113	amended (01 2021)
Magnesite - Respirable	TWA	15 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
fraction.	1 1 1 1 1 1 1	particles per	amended (09 2016)
iraction.		cubic foot of	amended (09 20 fb)
	TWA	air 5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
	IVVA	5 mg/ms	
Fumed silica			
		00 111 6	amended (09 2016)
Turrica Silica	TWA	20 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
T unica sinca	TWA	particles per	
Turred sinea	TWA	particles per cubic foot of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
Tuffed Silica		particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Tunica sinca	TWA	particles per cubic foot of	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as
	TWA	particles per cubic foot of air 0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Fumed silica - Total dust.		particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust.	TWA TWA	particles per cubic foot of <u>air</u> 0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Fumed silica - Total dust. Fumed silica - Inhalable	TWA	particles per cubic foot of air 0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as
Fumed silica - Total dust. Fumed silica - Inhalable particles.	TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021)
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable	TWA TWA	particles per cubic foot of <u>air</u> 0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction.	TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable	TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction.	TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction.	TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction.	TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction. Fumed silica - Total dust.	TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction.	TWA TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 50 millions of particles per cubic foot of air 15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction. Fumed silica - Total dust. Fumed silica - Respirable	TWA TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 50 millions of particles per cubic foot of air 15 millions of particles per cubic foot of particles per cubic foot of particles per per cubic per per cubic per per cubic per	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGHI Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction. Fumed silica - Total dust. Fumed silica - Respirable	TWA TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 50 millions of particles per cubic foot of air 15 millions of particles per cubic foot of	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as
Fumed silica - Total dust. Fumed silica - Inhalable particles. Fumed silica - Respirable fraction. Fumed silica - Total dust. Fumed silica - Respirable	TWA TWA TWA TWA TWA	particles per cubic foot of air 0.8 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 50 millions of particles per cubic foot of air 15 millions of particles per cubic foot of particles per cubic foot of particles per per cubic per per cubic per per cubic per	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as



EUCLID CHEMICAL

Revision Date: 03/28/2023

Chemical name	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
	TWA	0.05 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Portland cement - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Portland cement - Respirable dust.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Portland cement - Respirable.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2017)
Portland cement - Respirable fraction.	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Calcium Carbonate (Limestone) - Total dust.	STEL	20 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)



EUCLID CHEMICAL

Version: 1.0

Revision Date: 03/28/2023

Calcium Carbonate (Limestone) - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Calcium Carbonate (Limestone) - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Calcium sulfate	TWA	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Calcium sulfate - Inhalable	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Calcium sulfate - Inhalable fraction.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Calcium sulfate - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)
Magnesite - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Magnesite - Respirable fraction.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Magnesite - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Magnesite - Respirable particles.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Magnesite - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Magnesite - Inhalable particles.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Magnesite - Inhalable fraction.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Fumed silica - Respirable fume.	TWA	1.5 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Fumed silica - Respirable fraction.	TWA	2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Fumed silica - Respirable dust and/or fume.	TWA	2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Fumed silica - Total fume.	TWA	4 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2021)

Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment



Revision Date: 03/28/2023

Eye/face protection: Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

Skin Protection

Hand Protection: Additional Information: Use suitable protective gloves if risk of skin contact.

Skin and Body Protection: Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Do not get in eyes. Wash

contaminated clothing before reuse. Avoid contact with skin. Contaminated

work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: Powder
Color: Gray
Odor: Odorless

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point:

Initial boiling point and boiling range:

Flash Point:

Evaporation rate:

No data available.

No data available.

No data available.

Flammability (solid, gas): No
Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density:No data available.Relative density:2.85

Solubility(ies)

Solubility in water: Miscible with water.
Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.



Revision Date: 03/28/2023

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: May be harmful in contact with skin. Causes skin irritation. May cause an

allergic skin reaction.

Eye contact: Causes serious eye damage.

Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 2,040.21 mg/kg

Dermal

Product: ATEmix: 2,349.88 mg/kg

Inhalation



Revision Date: 03/28/2023

Product: ATEmix: 22.52 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Calcium sulfate NOAEL (Rat(Male), Oral, 52 - 104 Weeks): 256 mg/kg Oral Experimental

result, Supporting study

NOAEL (Rat(female), Oral, 52 - 104 Weeks): 284 mg/kg Oral Experimental

result, Supporting study

NOAEL (Rat(Male), Oral, 13 Weeks): 886 mg/kg Oral Experimental result,

Supporting study

LOAEL (Rat(Male), Oral, 35 - 45 d): 237 mg/kg Oral Experimental result,

Key study

NOAEL (Rat(Male), Oral, 35 - 45 d): 79 mg/kg Oral Experimental result, Key

study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Fused calcium

aluminate

In vitro (EpiDerm tissue): Not irritant, 60 min

Calcium sulfate in vivo (Rabbit): Not irritant, 72 h

Magnesite In vitro (Human, in vitro reconstituted epidermis model): not corrosive, 60

min

Fumed silica in vivo (Rabbit): Not irritant, 24 h

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Fused calcium

aluminate

Chicken, egg (Leghorn hen): Irritating

Calcium sulfate Rabbit, 72 h: Not irritant

Magnesite Reconstituted Corneal Epithelium model, 10 min: Not irritant

Fumed silica Rabbit, 1 h: Not irritant

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.



Revision Date: 03/28/2023

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Crystalline Silica (Quartz)/ Silica

Overall evaluation: Carcinogenic to humans.

Sand

US. National Toxicology Program (NTP) Report on Carcinogens:

Crystalline Silica Known To Be Human Carcinogen.

(Quartz)/ Silica

Sand

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Crystalline Silica

(Quartz)/ Silica Cancer

Sand

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Repeated Exposure: Lung

Aspiration Hazard

Product: No data available.

Other effects: Constituents of this product may include crystalline silica which, if in

inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic

or cause other serious lung problems.



Revision Date: 03/28/2023

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Fused calcium aluminate LC 50 (Danio rerio, 96 h): > 100 mg/l Experimental result, Key study

Calcium sulfate LC 50 (Pimephales promelas, 96 h): > 1,970 mg/l Experimental result,

Weight of Evidence study

Magnesite LC 50 (Pimephales promelas, 96 h): 2,120 mg/l Read-across from

supporting substance (structural analogue or surrogate), Key study

Fumed silica LC 50 (Danio rerio, 96 h): > 100 mg/l Experimental result, Supporting study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Fused calcium aluminate EC 50 (Daphnia magna, 48 h): 5.4 mg/l experimental result Experimental

result, Key study

Calcium sulfate EC 50 (Daphnia magna, 48 h): 1,970 mg/l

Magnesite LC 50 (Daphnia magna, 48 h): 140 mg/l read-across from supporting

substance (structural analogue or surrogate) Read-across from supporting

substance (structural analogue or surrogate), Key study

Fumed silica EC 50 (Daphnia magna, 24 h): > 1,003 mg/l experimental result

Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability



Revision Date: 03/28/2023

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Other adverse effects: Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information



Revision Date: 03/28/2023

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

Chemical Identity

Sodium nitrite 12 201803 2021

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity OSHA hazard(s) Crystalline Silica kidnev effects (Quartz)/ Silica Sand luna effects

immune system effects

Cancer

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Sodium nitrite 100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Skin Corrosion or Irritation Serious eye damage or eye irritation

Respiratory or Skin Sensitization

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous **Substances**

Not regulated.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



Revision Date: 03/28/2023



WARNING

: 1 g/l

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and exempt solvent)

VOC Method 310 : 0.04 %



Revision Date: 03/28/2023

Inventory Status:

Australia Industrial Chem. Act (AIIC): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List: All components in this product are

listed on or exempt from the

Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Ontario Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Mexico INSQ: One or more components in this

product are not listed on or exempt

from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

Taiwan Chemical Substance Inventory: One or more components in this



Revision Date: 03/28/2023

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

Switzerland New Subs Notified/Registered:

One or more components in this product are not listed on or exempt

from the Inventory.

Thailand DIW Existing Chemical Inv.

List:

One or more components in this product are not listed on or exempt

from the Inventory.

Vietnam National Chemical Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

EINECS, ELINCS or NLP: One or more components in this

product are not listed on or exempt

from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date: 03/28/2023

Version #: 1.0

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.