

Version: 3.1 Revision Date: 11/12/2022

SAFETY DATA SHEET

1. Identification

Material name: COLOR HARDENER - 60# CUSTOM COLOR MTO Material: CCHA P060 998

Recommended use and restriction on use

Recommended use: Cement, Portland, chemicals **Restrictions on use:** Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-531-9222 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1
Carcinogenicity	Category 1A
Specific Target Organ Toxicity - Single Exposure	Category 3 ^{1.}
Specific Target Organ Toxicity - Repeated Exposure	Category 1 ^{2.}

Target Organs

- 1. Respiratory tract irritation.
- 2. Lung


Unknown toxicity - Health

Acute toxicity, oral	33.18 %
Acute toxicity, dermal	99.99 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	33.54 %

Label Elements

Hazard Symbol:





advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Get medical advice/attention.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. **Disposal:** Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	50 - <100%



Portland cement	65997-15-1	20 - <50%
Titanium dioxide	13463-67-7	0.1 - <1%
* All concentrations are percent by weight unless ingredient is a gas. Cas concentrations are in percent by volume		

All concentrations are percent by	weight unless ingreutent is a gas.	Gas concentrations are in percent by volume.

4. First-aid measures		
Description of necessary first-	aid measures	
Inhalation:	Move to fresh air.	
Skin Contact:	Get medical attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.	
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.	
Personal Protection for First- aid Responders:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Most important symptoms/effe	cts, acute and delayed	
Symptoms:	Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Respiratory tract irritation	on.
Hazards:	No data available.	
Indication of immediate medica	al attention and special treatment needed	
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extin	guishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.	
Special protective equipment a	and precautions for fire-fighters	
Special fire-fighting	No data available.	
procedures:		3/15



Special protective equipment
for fire-fighters:Self-contained breathing apparatus and full protective clothing must be
worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Accidental release measures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Methods and material for containment and cleaning up:	Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage Handling

Technical measures (e.g. Local and general ventilation):	Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.
Safe handling advice:	Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.
Contact avoidance measures:	No data available.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.
Storage	
Safe storage conditions:	Store locked up.
Safe packaging materials:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits



Chemical Identity	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. ÓSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2020)
Portland cement - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended (2011)
Portland cement - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Portland cement - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Portland cement	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Titanium dioxide	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
Titanium dioxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Titanium dioxide - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)



Chemical name	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020)
Portland cement - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Portland cement - Respirable dust.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Portland cement - Respirable.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
Portland cement - Respirable fraction.	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)

Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear a full-face respirator, if needed. Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Additional Information: Use suitable protective gloves if risk of skin contact.
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.



Version: 3.1 Revision Date: 11/12/2022

Hygiene measures:

Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state:	solid
Form:	Powder
Color:	Tan
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No
Upper/lower limit on flammability or explosition	ive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.7419
Solubility(ies)	
Solubility in water:	Miscible with water.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
•	

10. Stability and reactivity

Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	No data available.	
Conditions to avoid:	Avoid heat or contamination.	
Incompatible Materials:	No data available.	
		7/15



11. Toxicological information Information on likely routes of exposure Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. Skin Contact: Causes skin irritation. May cause an allergic skin reaction. Eye contact: Causes serious eye damage. Ingestion: May be harmful if swallowed. Symptoms related to the physical, chemical and toxicological characteristics Inhalation: No data available. Skin Contact: No data available. Eye contact: No data available. Ingestion: No data available. Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: ATEmix: 2,011.61 mg/kg Dermal Product: LC 50: > 5.0 mg/l (Quartz)/ Silica Sand LC 50: > 5.0 mg/l Titanium dioxide LC 50: No data available. Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation Product: No data available. Skin Corrosion/Irritation No data available.	Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
Inhalation: In high concentrations, vapors, furmes or mists may irritate nose, throat and mucus membranes. Skin Contact: Causes skin irritation. May cause an allergic skin reaction. Eye contact: Causes serious eye damage. Ingestion: May be harmful if swallowed. Symptoms related to the physical characteristics Inhalation: Inhalation: No data available. Skin Contact: No data available. Ingestion: No data available. Ingestion: No data available. Information on toxicological effect: No data available. Information on toxicological effect: Artemix: 2,011.61 mg/kg Dermal Product: Crossialine Silica (Quartz) Silica Sand Inhalation LC 50: > 5.0 mg/l Yodata available. LC 50: > 5.0 mg/l Specified substance(s): Crossialine Silica Sand Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity No data available. Skin Corrosion/Irritation No data available. Skin Corrosion/Irritation No data available.	11. Toxicological information		
Eye contact: Causes serious eye damage. Ingestion: May be harmful if swallowed. Symptoms related to the physicatore the ph		In high concentrations, vapors, fumes or mists may irritate nose, throat	and
Ingestion: May be harmful if swallowed. Symptoms related to the physical, chemical and toxicological characteristics Inhalation: No data available. Skin Contact: No data available. Eye contact: No data available. Information on toxicological effects No data available. Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: ATEmix: 2,011.61 mg/kg Dermal Product: LC 50: > 5.0 mg/l (Quartz)/ Silica Sand Inhalation Product: LC 50: > 5.0 mg/l Inhalation Product: LC 50: > 5.0 mg/l Specified substance(s): (Quartz)/ Silica Sand LC 50: > 1.0 mg/l Stin Corrosion/Irritation No data available.	Skin Contact:	Causes skin irritation. May cause an allergic skin reaction.	
Symptoms related to the physical, chemical and toxicological characteristics Inhalation: No data available. Skin Contact: No data available. Eye contact: No data available. Ingestion: No data available. Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: Product: ATEmix: 2,011.61 mg/kg Dermal Product: Inhalation Product: Specified substance(s): C 50: > 5.0 mg/l (Quartz)/ Silica LC 50: > 5.0 mg/l (Quartz)/ Silica Sand LC 50 (Rat): 3.43 mg/l Repeated dose toxicity No data available. Skin Corrosion/Irritation No data available.	Eye contact:	Causes serious eye damage.	
Inhalation:No data available.Skin Contact:No data available.Eye contact:No data available.Ingestion:No data available.Information on toxicological effectsKacute toxicity (list all possible sof exposure)Oral Product:ATEmix: 2,011.61 mg/kgDermal Product:Kacute toxicity (list all possible sof exposure)Inhalation Product:Kacute toxicity (list all possible sof exposure)No data available.Kacute toxicity (list all possible soften	Ingestion:	May be harmful if swallowed.	
Skin Contact: No data available. Eye contact: No data available. Ingestion: No data available. Information on toxicological effects Kotte toxicity (list all possible routes of exposure) Oral ArtEmix: 2,011.61 mg/kg Permal ArtEmix: 2,011.61 mg/kg Product: Kotte substance(s): Crystalline Silica LC 50: > 5.0 mg/l (Quartz)' Silica Sand LC 50 (Rat): 3.43 mg/l Repeated dose toxicity No data available. Skin Corrosion/Irritation No data available.	Symptoms related to the physic	al, chemical and toxicological characteristics	
Eye contace:No data available.Ingestion:No data available.Information on toxicological #FUEAcute toxicity (list all possible to exposure)Oral Product:ATEmix: 2,011.61 mg/kgDermal Product:LC 50: > 5.0 mg/l (Quartz)/ Silica SandSpecified substance(s): Crystalline Silica (Quartz)/ Silica SandLC 50: > 5.0 mg/l LC 50: > 5.0 mg/lTitanium dioxideLC 50 (Rat): 3.43 mg/lSkip Corrosion/Irritation Product:No data available.	Inhalation:	No data available.	
Ingestion: No data available. Information on toxicological effects: Acute toxicity (list all possible routes of exposure) Oral Product: Dermal Product: Specified substance(s): Crystalline Silica Crystalline Silica Intanium dioxide LC 50: > 5.0 mg/l Quartz// Silica Sand Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available.	Skin Contact:	No data available.	
Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: Dermal Product: Inhalation Product: Crystalline Silica (Quartz)/ Silica Sand Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available.	Eye contact:	No data available.	
Acute toxicity (list all possible routes of exposure) Oral ATEmix: 2,011.61 mg/kg Product: Dermal Product: Inhalation Product: Specified substance(s): Crystalline Silica LC 50: > 5.0 mg/l (Quartz)/ Silica Sand LC 50 (Rat): 3.43 mg/l Repeated dose toxicity No data available. Skin Corrosion/Irritation No data available.	Ingestion:	No data available.	
Oral Product: ATEmix: 2,011.61 mg/kg Dermal Product: Inhalation Product: Specified substance(s): (Quartz)/ Silica Sand LC 50: > 5.0 mg/l LC 50: > 5.0 mg/l Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation Product: No data available.	Information on toxicological effe	ects	
Product: ATEmix: 2,011.61 mg/kg Dermal Product: Inhalation Product: Specified substance(s): Crystalline Silica (Quartz)/ Silica Sand LC 50: > 5.0 mg/l LC 50: > 5.0 mg/l Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation Product: No data available.	Acute toxicity (list all possible	e routes of exposure)	
Product: Inhalation Product: Specified substance(s): Crystalline Silica LC 50: > 5.0 mg/l (Quartz)/ Silica Sand LC 50 (Rat): 3.43 mg/l Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity No data available. Skin Corrosion/Irritation No data available.		ATEmix: 2,011.61 mg/kg	
Product: Specified substance(s): Crystalline Silica (Quartz)/ Silica Sand Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation No data available.			
Crystalline Silica LC 50: > 5.0 mg/l (Quartz)/ Silica Sand LC 50 (Rat): 3.43 mg/l Titanium dioxide LC 50 (Rat): 3.43 mg/l Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation Product: No data available.			
Repeated dose toxicity Product: No data available. Skin Corrosion/Irritation Product: No data available.	Crystalline Silica	LC 50: > 5.0 mg/l	
Product: No data available. Skin Corrosion/Irritation Product: No data available.	Titanium dioxide	LC 50 (Rat): 3.43 mg/l	
Product: No data available.		No data available.	
		No data available.	8/15



Specified substance(s): Titanium dioxide	in vivo (Rabbit): Not irritant , 24 h
Serious Eye Damage/Eye Irritati Product: Specified substance(s):	ion No data available.
Titanium dioxide	Rabbit, 24 - 72 hrs: Not irritant
Respiratory or Skin Sensitizatio Product:	n No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evalu	ation of Carcinogenic Risks to Humans:
Crystalline Silica (Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.
Titanium dioxide	Overall evaluation: Possibly carcinogenic to humans.
US. National Toxicology Progra Crystalline Silica (Quartz)/ Silica Sand	m (NTP) Report on Carcinogens: Known To Be Human Carcinogen.
US. OSHA Specifically Regulate Crystalline Silica (Quartz)/ Silica Sand	ed Substances (29 CFR 1910.1001-1050), as amended: Cancer
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	- Single Exposure No data available.



Specific Target Organ Toxicity Product:	- Repeated Exposure No data available.
	city - Single Exposure: Respiratory tract irritation. city - Repeated Exposure: Lung
Aspiration Hazard Product:	No data available.
Other effects:	Constituents of this product may include crystalline silica which, if in inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Titanium dioxide	LC 50 (Pimephales promelas, 96 h): 8.2 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Titanium dioxide	LC 50 (Daphnia magna, 48 h): > 100 mg/l experimental result Experimental result, Weight of Evidence study
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Titanium dioxide	NOAEL (Daphnia magna): 100 mg/l experimental result Experimental result, 10/15



	Supporting study	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.		
Partition Coefficient n-octanol / w Product:	vater (log Kow) No data available.	
Mobility in soil:	No data available.	
Other adverse effects:	No data available.	
13. Disposal considerations		
Disposal methods:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Contaminated Packaging:	No data available.	
14. Transport information		

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated



Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity	OSHA hazard(s)
Crystalline Silica	kidney effects
(Quartz)/ Silica Sand	lung effects
	immune system effects
	Cancer

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Skin Corrosion or Irritation Serious eye damage or eye irritation Respiratory or Skin Sensitization Carcinogenicity Specific target organ toxicity (single or repeated exposure)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not regulated.

- US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting Not regulated.
 - Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.
 - Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65





WARNING Cancer - www.P65Warnings.ca.gov

International regulations

Montreal protocol Not applicable

Stockholm convention Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and exempt solvent)	:	0 g/l
VOC Method 310	:	0.00 %



Inventory Status: Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Australia Industrial Chem. Act (AIIC):	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this



	product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Taiwan Chemical Substance Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Switzerland New Subs Notified/Registered:	One or more components in this product are not listed on or exempt from the Inventory.
Thailand DIW Existing Chemical Inv. List:	One or more components in this product are not listed on or exempt from the Inventory.
Vietnam National Chemical Inventory:	One or more components in this product are not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date:	11/12/2022
Version #:	3.1
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.