

Revision Date: 08/22/2019

# SAFETY DATA SHEET

## 1. Identification

Material name: OB-GREASE-A-WAY - 5 GL

Material: CGSA G005 000

Recommended use and restriction on use

Recommended use: Cleaning agent Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc.

2835 Grand-Allee

Saint Hubert QC J4T 2R4

CA

**Contact person:** EH&S Department **Telephone:** (450)465-2233

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

### **Hazard Classification**

## **Health Hazards**

Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Eye Irritation Category 1

## **Unknown toxicity - Health**

Acute toxicity, oral 2.02 %
Acute toxicity, dermal 4.23 %
Acute toxicity, inhalation, vapor 6.36 %
Acute toxicity, inhalation, dust 11.18 %

or mist

## **Label Elements**

## **Hazard Symbol:**



Signal Word: Danger



Revision Date: 08/22/2019

**Hazard Statement:** Causes severe skin burns and eye damage.

Precautionary Statements

**Prevention:** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment

(see on this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

## **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
2-Butoxyethanol (Glycol ether)	111-76-2	1 - <5%
Sodium metasilicate	6834-92-0	1 - <3%
4-Nonylphenol, ethoxylated	127087-87-0	1 - <5%
Sodium hydroxide	1310-73-2	0.1 - <1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

## Description of necessary first-aid measures

**Inhalation:** Call a physician or poison control center immediately. If breathing

stops, provide artificial respiration. Move to fresh air. If breathing is

difficult, give oxygen.

**Skin Contact:** Call a physician or poison control center immediately. Immediately

flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Destroy or thoroughly clean

contaminated shoes.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.



Revision Date: 08/22/2019

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. Do not induce vomiting

without advice from poison control center.

**Personal Protection for First-**

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous

membranes, including burning and tearing.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

## 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.



Revision Date: 08/22/2019

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local

and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Provide adequate ventilation. Wear appropriate personal protective

> equipment. Observe good industrial hygiene practices. Do not get in eyes. Wash hands thoroughly after handling. Do not get in eyes, on skin, on

clothing.

Contact avoidance measures: No data available.

Do not get in eyes. Observe good industrial hygiene practices. Wash Hygiene measures:

contaminated clothing before reuse. Do not get this material in contact with

skin. Wash hands before breaks and immediately after handling the

product.

**Storage** 

Safe storage conditions: Store locked up.

Safe packaging materials: No data available.

## 8. Exposure controls/personal protection

# **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
2-Butoxyethanol (Glycol ether)	TWA	20 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	50 ppm 240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Sodium hydroxide	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)





Revision Date: 08/22/2019

Chemical name	Туре	Exposure Limit Val	ues	Source
2-Butoxyethanol (Glycol ether)	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Butoxyethanol (Glycol ether)	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Butoxyethanol (Glycol ether)	TWA	20 ppm 97	mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

Chemical name	Туре	Exposure Limit	t Values	Source
2-Butoxyethanol (Glycol ether)	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Butoxyethanol (Glycol ether)	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Butoxyethanol (Glycol ether)	TWA	20 ppm	97 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Sodium hydroxide	CEILING		2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Sodium hydroxide	CEV		2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Sodium hydroxide	CEILING		2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Ethylene glycol - Vapor.	CEILING	50 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Aerosol.	CEILING		100 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Particulate.	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL		20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Aerosol.	CEV		100 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Ethylene glycol - Vapor and mist	CEILING	50 ppm	127 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
n-Butanol	CEILING	30 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	15 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)



Revision Date: 08/22/2019

n-Bu	utanol	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
n-Bu	utanol	CEILING	50 ppm	152 mg/m3	5 7 7	

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
2-Butoxyethanol (Glycol	200 mg/g (Creatinine in urine)	ACGIH BEI (03 2013)
ether) (Butoxyacetic acid		
(BAA), with hydrolysis:		
Sampling time: End of shift.)		

# Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

## Individual protection measures, such as personal protective equipment

**General information:** Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

**Eye/face protection:** Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

**Skin Protection** 

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Do not get in eyes. Observe good industrial hygiene practices. Wash

contaminated clothing before reuse. Do not get this material in contact with

skin. Wash hands before breaks and immediately after handling the

product.

# 9. Physical and chemical properties

#### **Appearance**

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Mild

Odor threshold: No data available.

**pH:** 13 - 14



Revision Date: 08/22/2019

Melting point/freezing point:No data available.Initial boiling point and boiling range:239 °C 462 °FFlash Point:No data available.Evaporation rate:Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.0084

Solubility(ies)

Solubility in water: Soluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** Strong acids. Strong bases.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation:** In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.



Revision Date: 08/22/2019

## Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

## Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 15,926.6 mg/kg

**Dermal** 

**Product:** ATEmix: 21,862.43 mg/kg

Inhalation

**Product:** ATEmix: 45.37 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

2-Butoxyethanol (Glycol in vivo (Rabbit): Irritating

ether)

Sodium metasilicate in vivo (Rabbit): Corrosive

Sodium hydroxide in vivo (Rabbit): Irritating

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

2-Butoxyethanol (Glycol Rabbit,

ether)

Rabbit, 24 - 72 hrs: Irritating

Sodium hydroxide Rabbit, 1 d: 10% Sodium Hydroxide- Category 1; 0.5% Sodium Hydroxide-

Slightly irritating to eyes

Respiratory or Skin Sensitization

**Product:** No data available.



Revision Date: 08/22/2019

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

## **Ecotoxicity:**

Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):



Revision Date: 08/22/2019

2-Butoxyethanol (Glycol

ether)

LC 50 (Oncorhynchus mykiss, 96 h): 1,464 mg/l

4-Nonylphenol, ethoxylated

LC 50 (Lepomis macrochirus, 96 h): 84.7 mg/l Experimental result, Key

study

Sodium hydroxide LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l Mortality

**Aquatic Invertebrates** 

**Product:** 

No data available.

Specified substance(s):

2-Butoxyethanol (Glycol

ether)

EC 50 (Daphnia magna, 48 h): 1,800 mg/l

4-Nonylphenol, ethoxylated

EC 50 (Daphnia magna, 48 h): 23.066 mg/l

Sodium hydroxide EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l

Intoxication

## Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

2-Butoxyethanol (Glycol

NOAEL (Danio rerio, 21 d): > 100 mg/l Experimental result, Key study

ether)

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

2-Butoxyethanol (Glycol

NOEC (Daphnia magna, 21 d): 100 mg/l

ether)

**Toxicity to Aquatic Plants** 

**Product:** No data available.

# Persistence and Degradability

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.



Revision Date: 08/22/2019

## Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

2-Butoxyethanol (Glycol

Log Kow: 0.83

ether)

Mobility in soil: No data available.

Other adverse effects: No data available.

# 13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

## 14. Transport information

#### TDG:

UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide, Sodium Trioxosilicate), 8, PG III

#### CFR / DOT:

UN3266, Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Sodium Trioxosilicate), 8, PG III

## IMDG:

UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide, Sodium Trioxosilicate), 8, PG III

## **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

## 15. Regulatory information

#### **US Federal Regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.



Revision Date: 08/22/2019

## CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Sodium hydroxide 1000 lbs. Ethylene glycol 5000 lbs. n-Butanol 5000 lbs.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards

Skin Corrosion or Irritation

Serious eye damage or eye irritation

## **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

# **SARA 304 Emergency Release Notification**

2-Butoxyethanol (Glycol

ether)

Sodium hydroxide 1000 lbs. Ethylene glycol 5000 lbs. n-Butanol 5000 lbs.

## SARA 311/312 Hazardous Chemical

# <u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

2-Butoxyethanol (Glycol 10000 lbs

ether)

Sodium metasilicate 10000 lbs 4-Nonylphenol, 10000 lbs

ethoxylated

Sodium hydroxide 10000 lbs

# SARA 313 (TRI Reporting)

## **Chemical Identity**

2-Butoxyethanol (Glycol

ether)

4-Nonylphenol, ethoxylated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**



#### WARNING

Reproductive Harm - www.P65Warnings.ca.gov



Revision Date: 08/22/2019

## US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

2-Butoxyethanol (Glycol ether)

## **US. Massachusetts RTK - Substance List**

## **Chemical Identity**

2-Butoxyethanol (Glycol ether)

## US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

2-Butoxyethanol (Glycol ether)

#### **US. Rhode Island RTK**

## **Chemical Identity**

2-Butoxyethanol (Glycol ether)

## International regulations

## **Montreal protocol**

Not applicable

#### Stockholm convention

Not applicable

## **Rotterdam convention**

Not applicable

## **Kyoto protocol**

Not applicable

#### VOC:

Regulatory VOC (less water and : 472 g/l

exempt solvent)

VOC Method 310 : 4.89 %



Revision Date: 08/22/2019

**Inventory Status:** 

Australia AICS: One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List:

One or more components in this product are

not listed on or exempt from the Inventory.

EINECS, ELINCS or NLP: One or more components in this product are

not listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

One or more components in this product are

not listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this product are

not listed on or exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: One or more components in this product are

not listed on or exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

## 16.Other information, including date of preparation or last revision

**Revision Date:** 08/22/2019

Version #: 2.0

Further Information: No data available.



Revision Date: 08/22/2019

Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.