

Version: 2.0 Revision Date: 05/26/2020

# SAFETY DATA SHEET

Category 1<sup>1</sup>

## 1. Identification

Material name: TAMMSCURE WB W/DYE Material: THH3WDD55

#### Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110 US

#### Contact person: Telephone: Emergency telephone number:

EH&S Department 216-531-9222 1-800-424-9300 (US); 1-613-996-6666 (Canada)

### 2. Hazard(s) identification

### **Hazard Classification**

#### Health Hazards

Specific Target Organ Toxicity -Repeated Exposure

#### **Target Organs**

1. Central nervous system

#### **Unknown toxicity - Health**

Acute toxicity, oral	5.92 %
Acute toxicity, dermal	5.93 %
Acute toxicity, inhalation, vapor	15.29 %
Acute toxicity, inhalation, dust or mist	7.05 %

#### **Environmental Hazards**

Acute hazards to the aquatic environment	Category 3
Chronic hazards to the aquatic environment	Category 3

#### Unknown toxicity - Environment

Acute hazards to the aquatic environment	98.96 %
Chronic hazards to the aquatic environment	98.96 %



# Label Elements

# Hazard Symbol:

Signal Word:	Danger
Hazard Statement:	Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention:	Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.
Response:	Get medical advice/attention if you feel unwell.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Petroleum Hydrocarbon Resin	68131-87-3	5 - <10%
Aliphatic naphtha	64742-88-7	1 - <5%
Hydrotreated heavy naphthenic distillate	64742-52-5	1 - <5%
Nonylphenoxy ethoxylate	68412-54-4	1 - <2.5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

### Description of necessary first-aid measures

### Inhalation:

Move to fresh air.

Skin Contact:Wash skin thoroughly with soap and water. If skin irritation occurs:<br/>Get medical advice/attention.



Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.	
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.	
Personal Protection for First- aid Responders:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Most important symptoms/effec	cts, acute and delayed	
Symptoms:	May cause skin and eye irritation.	
Hazards:	No data available.	
Indication of immediate medica	I attention and special treatment needed	
Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) exting	guishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.	
Special protective equipment a	nd precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
6. Accidental release measur	es	
Personal precautions, protective equipment and emergency procedures:	No data available.	
Accidental release measures:	In the event of a shill or accidental release, notify relevant authorities in	



Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

7. Handling and storage	
Handling	
Technical measures (e.g. Local and general ventilation):	Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.
Safe handling advice:	Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Contact avoidance measures:	No data available.
Hygiene measures:	Observe good industrial hygiene practices.
Storage	
Safe storage conditions:	Store away from incompatible materials. Store in original tightly closed container.
Safe packaging materials:	No data available.

# 8. Exposure controls/personal protection

# **Control Parameters**

# **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Lir	nit Values	Source
Petroleum Hydrocarbon Resin	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Aliphatic naphtha - Non- aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Aliphatic naphtha	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Hydrotreated heavy naphthenic distillate - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Hydrotreated heavy naphthenic distillate	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Hydrotreated heavy naphthenic distillate - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)



Г

Т

Chemical name	Туре	Exposure Limit Values	Source
Petroleum Hydrocarbon Resin	TWA	400 ppm 1,590 mg/m3	Regulation respecting occupational health and safety), as amended (09 2017)
Aliphatic naphtha - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Aliphatic naphtha - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	Biological or Chemical Agents), as amended (11 2010)
Aliphatic naphtha	TWA	400 ppm 1,590 mg/m3	Regulation respecting occupational health and safety), as amended (09 2017)
Hydrotreated heavy naphthenic distillate - Mist.	TWA	0.2 mg/m3	B Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
	TWA	1 mg/m3	B Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Hydrotreated heavy naphthenic distillate - Inhalable fraction.	TWA	5 mg/m3	B Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
	TWA	5 mg/m3	B Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Hydrotreated heavy naphthenic distillate - Mist.	STEL	10 mg/m3	Regulation respecting occupational health and safety), as amended (09 2017)
	TWA	5 mg/m3	B Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Naphthalene	STEL	15 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	10 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Naphthalene	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Naphthalene	TWA	10 ppm 52 mg/m3	Regulation respecting occupational health and safety), as amended (09 2017)
	STEL	15 ppm 79 mg/m3	B Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)



Sodium hydroxide	CEILING		2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Sodium hydroxide	CEV		2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Sodium hydroxide	CEILING		2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Ammonium hydroxide	STEL	35 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	25 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ammonium hydroxide	TWA	25 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
	STEL	35 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
p-Dioxane	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
p-Dioxane	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
p-Dioxane	TWA	20 ppm	72 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (12 2008)
Ethylene oxide	TWA	0.1 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	1 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene oxide	STEL	10 ppm	18 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
	TWA	1 ppm	1.8 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Ethylene oxide	TWA	1 ppm	1.8 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)

Appropriate Engineering Controls Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.
----------------------	--

- **Eye/face protection:** Wear goggles/face shield.
- **Skin Protection**



Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices.

# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Off-white
Odor:	Mild
Odor threshold:	No data available.
pH:	< 8
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	> 96 °C > 204 °F
Evaporation rate:	Slower than Ether
Flammability (solid, gas):	No
Upper/lower limit on flammability or explos	ive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	1
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
10 Stability and reactivity	

# 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.



Possibility of hazardous reactions:	No data available.	
Conditions to avoid:	Avoid heat or contamination.	
Incompatible Materials:	Strong acids. Strong bases.	
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
11. Toxicological information		
Information on likely routes of e Inhalation:	xposure In high concentrations, vapors, fumes or mists may irritate nose, throat a mucus membranes.	and
Skin Contact:	Causes mild skin irritation.	
Eye contact:	Eye contact is possible and should be avoided.	
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise	Э.
Symptoms related to the physic	al, chemical and toxicological characteristics	
Inhalation:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Information on toxicological effe	ects	
Acute toxicity (list all possible	e routes of exposure)	
Oral Product:	ATEmix: 493,534.7 mg/kg	
Dermal Product:	ATEmix: 39,045.44 mg/kg	
Inhalation Product:	Not classified for acute toxicity based on available data.	
<b>Specified substance(s):</b> Aliphatic naphtha	LC 50 (Rat): > 6.03 mg/l	
Hydrotreated heavy naphthenic distillate	LC 50 (Rat): 9.6 mg/l	
Repeated dose toxicity Product:	No data available.	0/40



Skin Corrosion/Irritation Product:	No data available.	
Specified substance(s): Aliphatic naphtha	in vivo (Rabbit): Irritating	
Hydrotreated heavy naphthenic distillate	in vivo (Rabbit): Not irritant	
Nonylphenoxy ethoxylate	in vivo (Rabbit): Category 2	
Serious Eye Damage/Eye Irritati Product: Specified substance(s):	on No data available.	
Aliphatic naphtha	Rabbit, 24 - 72 hrs: Not irritating	
Hydrotreated heavy naphthenic distillate	Rabbit, 24 hrs: Not irritating	
Nonylphenoxy ethoxylate	Rabbit, 24 - 72 hrs: Category 2B	
Respiratory or Skin Sensitizatio Product:	<b>n</b> No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evalu	ation of Carcinogenic Risks to Humans:	
No carcinogenic components identified US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended: No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
ln vivo		

# Reproductive toxicity



Product:	No data available.		
Specific Target Organ To Product:	<b>xicity - Single Exposure</b> No data available.		
Specific Target Organ To Product:	<b>xicity - Repeated Exposure</b> No data available.		
<b>Target Organs</b> Specific Target Organ Toxicity - Repeated Exposure: Central nervous system			
Aspiration Hazard Product:	No data available.		
Other effects:	No data available.		

# 12. Ecological information

# Ecotoxicity:

# Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Nonylphenoxy ethoxylate	LC 50 (Fathead Minnow, 96 h): 0.218 mg/l
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Nonylphenoxy ethoxylate	LC 50 (Daphnia magna, 48 h): 0.100 mg/l
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Specified substance(s): Aliphatic naphtha	NOAEL (Oncorhynchus mykiss, 28 d): 0.098 mg/l QSAR QSAR, Key study
Hydrotreated heavy naphthenic distillate	NOAEL (Oncorhynchus mykiss, 14 d): >= 1,000 mg/l QSAR QSAR, Supporting study
Nonylphenoxy ethoxylate	NOAEL (Oncorhynchus mykiss, 91 d): +/- 6 $\mu$ g/l Experimental result, Key study
Aquatic Invertebrates Product:	No data available.



Specified substance(s): Nonylphenoxy ethoxylate	NOEC (Daphnia magna, 21 d): 100 μg/l	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.		
Partition Coefficient n-octanol / w Product:	vater (log Kow) No data available.	
Mobility in soil:	No data available.	
Other adverse effects:	Harmful to aquatic life with long lasting effects.	
13. Disposal considerations		
Disposal methods:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Contaminated Packaging:	No data available.	
14. Transport information		

# TDG:

Not Regulated

# CFR / DOT:

Not Regulated

# IMDG:



Not Regulated

## 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemi	ical	Identitv	
CHEIH	Lai	IUEIIIIV	

Ethylene oxide

OSHA hazard(s) Skin sensitization Reproductive toxicity Mutagenicity Eye irritation Acute toxicity respiratory tract irritation Cancer Skin irritation Flammability Central nervous system

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	<b>Reportable quantity</b>
Naphthalene	100 lbs.
Sodium hydroxide	1000 lbs.
Ammonium hydroxide	1000 lbs.
p-Dioxane	100 lbs.
Ethylene oxide	10 lbs.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Delayed (Chronic) Health Hazard Specific target organ toxicity (single or repeated exposure)

#### SARA 302 Extremely Hazardous Substance

	<u>Reportable</u>	
Chemical Identity	quantity	Threshold Planning Quantity
Ethylene oxide	10 lbs.	1000 lbs.

#### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.



#### SARA 311/312 Hazardous Chemical

<u>Chemic</u>	<u>al Identity</u>
Ethylene	e oxide

Threshold Planning Quantity 500lbs

SARA 313 (TRI Reporting) <u>Chemical Identity</u> Nonylphenoxy ethoxylate

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Chemical Identity	<b>Reportable quantity</b>
Ethylene oxide	lbs

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

# **US State Regulations**

# **US. California Proposition 65**



# WARNING

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# US. New Jersey Worker and Community Right-to-Know Act

## Chemical Identity

Petroleum Hydrocarbon Resin Aliphatic naphtha Hydrotreated heavy naphthenic distillate

# US. Massachusetts RTK - Substance List

<u>Chemical Identity</u> Petroleum Hydrocarbon Resin Aliphatic naphtha Hydrotreated heavy naphthenic distillate

#### US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Petroleum Hydrocarbon Resin Aliphatic naphtha Hydrotreated heavy naphthenic distillate

# US. Rhode Island RTK

# Chemical Identity

Petroleum Hydrocarbon Resin Aliphatic naphtha Hydrotreated heavy naphthenic distillate

# International regulations

# **Montreal protocol**

Not applicable

#### Stockholm convention

Not applicable



# Rotterdam convention

Not applicable

# Kyoto protocol Not applicable

# VOC:

Regulatory VOC (less water and exempt solvent)	:	47 g/l
VOC Method 310	:	4.60 %



Inventory Status: Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
Taiwan Chemical Substance Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.



# 16.Other information, including date of preparation or last revision

Revision Date:	05/26/2020
Version #:	2.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.