

Revision Date: 11/17/2022

This is a kit that contains the following components: OB-TAMMSFLEX NS PART A TAMMSFLEX NS/SL PART B



Revision Date: 11/17/2022

SAFETY DATA SHEET

1. Identification

Product identifier: OB-TAMMSFLEX NS PART A

Product Code: THHNU1 5

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD **CLEVELAND OH 44110**

US

Contact person: **EH&S Department** 216-531-9222 Telephone:

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements

Not applicable

Hazard(s) not otherwise

classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures



Revision Date: 11/17/2022

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------|------------|-------------------------|
| Calcium carbonate | 471-34-1 | 20 - <50% |
| Titanium dioxide | 13463-67-7 | 5 - <10% |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air.

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with

soap and water after work.

Eye contact: Rinse immediately with plenty of water.

Ingestion: Rinse mouth thoroughly.

Personal Protection for First-Self-contained breathing apparatus and full protective clothing must

aid Responders: be worn in case of fire.

Most important symptoms/effects, acute and delayed

Symptoms: May cause skin and eye irritation.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.



Revision Date: 11/17/2022

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: No data available.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer. Environmental

manager must be informed of all major spillages.

7. Handling and storage

Handling

Technical measures (e.g. Local

and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

industrial hygiene practices.

Contact avoidance measures: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Storage

Safe storage conditions: Store away from incompatible materials. Store in original tightly closed

container.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Туре | Exposure Limit Values | Source |
|---|------|-----------------------|---|
| Calcium carbonate - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Calcium carbonate - Respirable fraction. | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as |





Revision Date: 11/17/2022

| Calcium carbonate - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - TWA Sespirable fraction. Calcium carbonate - TWA TWA 10 mg/m3 Calcium carbonate - TWA Calcium carbonate - Total dust. Calcium carbonate - PEL Calcium carbonate - Total dust. Calcium carbonate dust dust dust dust dust dust dust dust | | | | amended (02 2006) |
|--|--------------------------------|----------|----------------|---|
| Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - Respirable fraction. Calcium carbonate - TWA | Coloium carbonata Total | DEI | 15 m a/m2 | , |
| Calcium carbonate - TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (09 2016) Calcium carbonate - TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium carbonate - TWA 3 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) Calcium carbonate - TWA 15 millions of particles per cubic foot of air Calcium carbonate - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - PEL 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (00 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (00 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-1 US. OSHA Table Z-1 US. OSHA Table Z-1 US. OSHA Table Z-1 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Calcium carbonate - PEL 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Calcium carbonate - Total dust. TWA So millions of particles per | | PEL | 15 119/113 | |
| Calcium carbonate - Respirable fraction. Calcium carbonate - TWA 10 mg/m3 US. ACGIH Trieshold Limit Values, as amended (09 2016) Calcium carbonate - TWA 10 mg/m3 US. ACGIH Trieshold Limit Values, as amended (01 2021) Calcium carbonate - TWA 15 millions of particles per cubic foot of air Calcium carbonate - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - Total TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) Calcium carbonate - Total TWA 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Calcium carbonate - PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Calcium carbonate - PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Calcium carbonate - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Calcium carbonate - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2008) Calcium carbonate - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2008) Calcium carbonate - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2008) Calcium carbonate - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2008) | dust. | | | |
| Respirable fraction. Calcium carbonate - nhalable particles. Calcium carbonate - TWA Calcium carbonate - Total dust. Calcium carbonate - PEL Calcium carbonate - PEL Calcium carbonate - PEL Calcium carbonate - Total dust. Calcium carbonate - PEL Calcium carbonate - Total dust. Calcium carbonate - PEL Calcium carbonate - VIVA Contaminants (29 CFR 1910.1000), as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Contaminants (29 CFR 1910.1000), as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (32 2016) Contaminants (29 CFR 1910.1000), as | Onlaine and an ata | T) 4 / 4 | 5 | aniended (01 2017) |
| Calcium carbonate - nhalable particles. TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (01 2021) TWA 3 mg/m3 ACGIH Threshold Limit Values, as amended (01 2021) TWA 3 mg/m3 ACGIH Threshold Limit Values, as amended (01 2021) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2016) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2006) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2006) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (20 2006) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | IVVA | 5 mg/m3 | |
| nhalable particles. Calcium carbonate - Respirable particles. Calcium carbonate - Respirable particles. Calcium carbonate - Respirable fraction. Calcium carbonate - Respirable fraction. Calcium carbonate - Respirable fraction. Calcium carbonate - Total Just. TWA Just. TWA Just. TWA Just. TWA Just. So millions of particles per cubic foot of air particles per cubic foot of air Calcium carbonate - Respirable fraction. PEL Just. So millions of particles per cubic foot of air Contaminants (29 CFR 1910.1000), as amended (09 2016) Titanium dioxide - Total dust. TWA Just. Just. So millions of particles per cubic foot of air Contaminants (29 CFR 1910.1000), as amended (09 2016) Just. So SHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Titanium dioxide - Total dust. PEL Just. Ju | | | 10 / 0 | |
| Calcium carbonate - Respirable particles. TWA 15 millions of particles per cubic foot of air Calcium carbonate - Total TWA TWA 15 millions of particles per cubic foot of air Calcium carbonate - Total Sust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (10 2017) Itanium dioxide TWA 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Itanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Itanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | IWA | 10 mg/m3 | |
| Asspirable particles. Calcium carbonate - Respirable fraction. TWA TWA TWA TWA TWA TWA TWA TW | | | | , |
| Calcium carbonate - Respirable fraction. TWA 15 millions of particles per cubic foot of air 15 mg/m3 TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Calcium carbonate - PEL S mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Fitanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Itanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | TWA | 3 mg/m3 | * |
| Respirable fraction. Particles per cubic foot of air | | | | |
| Calcium carbonate - Total Just. TWA Just. Just. | | TWA | | |
| Calcium carbonate - Total Sust. TWA TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Titanium dioxide TWA 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Titanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Titanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Respirable fraction. | | | amended (09 2016) |
| Calcium carbonate - Total dust. TWA TWA TWA TWA TWA TWA TWA TW | | | cubic foot of | |
| Aust. Amended (09 2016) TWA S0 millions of particles per cubic foot of air | | | air | |
| TWA 50 millions of particles per cubic foot of air Calcium carbonate - Respirable fraction. Fitanium dioxide TWA 10 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Fitanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Fitanium dioxide - Total dust. FEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) Fitanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air Fitanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Calcium carbonate - Total | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
| particles per cubic foot of air Calcium carbonate - Respirable fraction. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Fitanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Fitanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Fitanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air Fitanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | dust. | | | amended (09 2016) |
| Calcium carbonate - Respirable fraction. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Fitanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Fitanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Fitanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air Fitanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | TWA | 50 millions of | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
| Calcium carbonate - Respirable fraction. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) Fitanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Fitanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Fitanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air Fitanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | particles per | amended (09 2016) |
| Calcium carbonate - Respirable fraction. PEL 5 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) US. ACGIH Threshold Limit Values, as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (2008) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | | , , |
| Contaminants (29 CFR 1910.1000), as amended (01 2017) Titanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Titanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | air | |
| Contaminants (29 CFR 1910.1000), as amended (01 2017) Titanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Titanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Calcium carbonate - | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air |
| Titanium dioxide TWA TUS. ACGIH Threshold Limit Values, as amended (2008) Titanium dioxide - Total dust. PEL TS mg/m3 TUS. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA TS mg/m3 TUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA TS mg/m3 TUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable TWA TS mg/m3 TUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA TOTAL TABLE Z-3 (29 CFR 1910.1000), as amended (03 2016) TITANIUM dioxide - Total dust. TWA TOTAL TABLE Z-3 (29 CFR 1910.1000), as amended (03 2016) TUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) TUS. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Respirable fraction. | | | Contaminants (29 CFR 1910.1000), as |
| Titanium dioxide TWA 10 mg/m3 US. ACGIH Threshold Limit Values, as amended (2008) Titanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA 50 millions of particles per cubic foot of cubic foot of particles per cubic foot of cubic foot o | • | | | , |
| amended (2008) Fitanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Fitanium dioxide - Respirable raction. Fitanium dioxide - Total dust. TWA 15 millions of particles per cubic foot of air US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Fitanium dioxide - Respirable raction. Fitanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Titanium dioxide | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values, as |
| Fitanium dioxide - Total dust. PEL 15 mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 15 millions of particles per cubic foot of air TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | | |
| Contaminants (29 CFR 1910.1000), as amended (02 2006) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. Titanium dioxide - Total dust. TWA Titanium dioxide - Respirable raction. Titanium dioxide - Respirable raction. Titanium dioxide - Respirable raction. TWA TWA TWA TWA TWA TWA TWA TW | Titanium dioxide - Total dust. | PEL | 15 mg/m3 | |
| Titanium dioxide - Respirable raction. TWA Titanium dioxide - Total dust. TWA Titanium dioxide - Total dust. TWA Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA Titanium dioxide - Respirable raction. TWA TWA TWA TWA TWA TWA TWA TW | | | | Contaminants (29 CFR 1910,1000), as |
| Titanium dioxide - Respirable raction. TWA 15 millions of particles per cubic foot of air Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | | |
| raction. particles per cubic foot of air Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | Titanium dioxide - Respirable | TWA | 15 millions of | |
| Cubic foot of air Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | fraction. | | particles per | |
| Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | | |
| Titanium dioxide - Total dust. TWA 15 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Respirable raction. Titanium dioxide - Total dust. TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | | | | |
| Titanium dioxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA 50 millions of particles per cubic foot of TWA 2016 | Titanium dioxide - Total dust. | TWA | | US, OSHA Table 7-3 (29 CFR 1910,1000), as |
| Titanium dioxide - Respirable TWA 5 mg/m3 US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) Titanium dioxide - Total dust. TWA 50 millions of particles per cubic foot of US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | . Harrian alexade . etal adeti | | | |
| raction. amended (03 2016) Titanium dioxide - Total dust. TWA 50 millions of particles per cubic foot of Cubic foot of Two Table Z-3 (29 CFR 1910.1000), as | Titanium dioxide - Respirable | TWA | 5 ma/m3 | |
| Fitanium dioxide - Total dust. TWA 50 millions of particles per cubic foot of US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) | fraction. | | 5 mg/me | |
| particles per cubic foot of amended (03 2016) | | TWA | 50 millions of | |
| cubic foot of | | | | |
| | | | | a |
| | | | air | |

| Chemical name | Туре | Exposure Limit Values | Source |
|---|------|-----------------------|--|
| Calcium carbonate - Total dust. | STEL | 20 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017) |
| Calcium carbonate - Respirable fraction. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |



Revision Date: 11/17/2022

| Calcium carbonate - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
|--|-----|----------|--|
| Calcium carbonate - Respirable particles. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Calcium carbonate - Inhalable particles. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Calcium carbonate - Inhalable fraction. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017) |

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: Additional Information: Use suitable protective gloves if risk of skin contact.

Skin and Body Protection: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Viscous Liquid
Color: Off-white
Odor: Mild pungent



Revision Date: 11/17/2022

Odor threshold:

pH:

No data available.

Flash Point: 93 °C 200 °F(Pensky-Martens Closed Cup)

Evaporation rate: Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.57

Solubility(ies)

Solubility in water:
Solubility (other):
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
No data available.
Viscosity:
No data available.
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with oxidizers or reducing agents. Avoid contact with acids.

Bases, alkalies (organic).

Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: Moderately irritating to skin with prolonged exposure.

Eye contact: Eye contact is possible and should be avoided.



Revision Date: 11/17/2022

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 20,000 mg/kg

Dermal

Product: ATEmix: 7,142.86 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Calcium carbonate in vivo (Rabbit): Not irritant, 24 - 72 h

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Calcium carbonate Rabbit, 24 - 72 hrs: Not irritant

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.



Revision Date: 11/17/2022

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: Constituents of this product may include crystalline silica which, if in

inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic

or cause other serious lung problems.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:



Revision Date: 11/17/2022

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.



Revision Date: 11/17/2022

14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not listed.

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

<u>Chemical Identity</u> <u>% by weight</u>

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.



Revision Date: 11/17/2022

US State Regulations

US. California Proposition 65

For more information go to www.P65Warnings.ca.gov.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC: When appropriately mixed with the other part, product has a VOC less water and exempt solvent of:

: 0 g/l

0 g/l

Regulatory VOC (less water and

exempt solvent)

VOC Method 310 : 0.00 %



Revision Date: 11/17/2022

Inventory Status:

Australia AICS: One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List: All components in this product are

listed on or exempt from the

Inventory.

EINECS, ELINCS or NLP: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.



Revision Date: 11/17/2022

16.Other information, including date of preparation or last revision

Revision Date: 11/17/2022

Version #: 2.1

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.



Revision Date: 11/17/2022

SAFETY DATA SHEET

1. Identification

Product identifier: TAMMSFLEX NS/SL PART B

Product Code: THHNU1 5

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110

US

Contact person:EH&S DepartmentTelephone:216-531-9222

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

Category 4

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Inhalation - dust and

mist)

Skin sensitizer Category 1

Unknown toxicity - Health

Acute toxicity, oral 0 %
Acute toxicity, dermal 40 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 99 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 1

environment

Unknown toxicity - Environment

Acute hazards to the aquatic 99 %

environment

Chronic hazards to the aquatic 100 %

environment

Label Elements



Revision Date: 11/17/2022

Hazard Symbol:



Signal Word: Warning

Hazard Statement: May cause an allergic skin reaction.

Harmful if inhaled.

Very toxic to aquatic life.

Precautionary Statements

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a

well-ventilated area. Contaminated work clothing should not be allowed out

of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment (see on this label). Wash

contaminated clothing before reuse. Collect spillage.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------|------------|-------------------------|
| Manganese dioxide | 1313-13-9 | 20 - <50% |
| Thiram | 137-26-8 | 1 - <5% |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air.



Revision Date: 11/17/2022

Skin Contact: Destroy or thoroughly clean contaminated shoes. Immediately

remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction

develops, get medical attention.

Eye contact: Rinse immediately with plenty of water.

Ingestion: Rinse mouth thoroughly.

Personal Protection for First-

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

Symptoms: May cause skin and eye irritation.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.



Revision Date: 11/17/2022

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after

> handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Contact avoidance measures: No data available.

Contaminated work clothing should not be allowed out of the workplace. Hygiene measures:

Avoid contact with skin. Observe good industrial hygiene practices.

Storage

Safe storage conditions: Store away from incompatible materials. Store in original tightly closed

container.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Туре | Exposure Limit Values | Source |
|--|---------|-----------------------|---|
| Manganese dioxide - Respirable fraction as Mn | TWA | 0.02 mg/m3 | US. ACGIH Threshold Limit Values, as amended (02 2013) |
| Manganese dioxide - Inhalable fraction as Mn | TWA | 0.1 mg/m3 | US. ACGIH Threshold Limit Values, as amended (02 2013) |
| Manganese dioxide - as Mn | Ceiling | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Thiram | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Thiram - Inhalable fraction and vapor. | TWA | 0.05 mg/m3 | US. ACGIH Threshold Limit Values, as amended (2008) |



Revision Date: 11/17/2022

| Chemical name | Туре | Exposure Limit Values | Source |
|---|------|-----------------------|--|
| Manganese dioxide - Fume, total dust as Mn | TWA | 0.2 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017) |
| Manganese dioxide - Respirable as Mn | TWA | 0.02 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018) |
| Manganese dioxide - Total - as Mn | TWA | 0.2 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018) |
| Manganese dioxide - Inhalable fraction as Mn | TWA | 0.1 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020) |
| Thiram | TWA | 5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (12 2008) |
| Thiram - Inhalable fraction and vapor. | TWA | 0.05 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010) |
| Thiram | TWA | 1 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: Additional Information: Use suitable protective gloves if risk of skin contact.

Skin and Body Protection: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Viscous Liquid
Color: Dark brown
Odor: Mild pungent
Odor threshold: No data available.



Revision Date: 11/17/2022

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: > 93 °C > 200 °F

Evaporation rate: Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.76

Solubility(ies)

Solubility in water:
Solubility (other):
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
No data available.
Viscosity:
Practically Insoluble
No data available.
No data available.
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with oxidizers or reducing agents. Avoid contact with acids.

Bases, alkalies (organic).

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: May cause an allergic skin reaction.

Eye contact: Eye contact is possible and should be avoided.



Revision Date: 11/17/2022

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 8,418.31 mg/kg

Dermal

Product: ATEmix: 120,000 mg/kg

Inhalation

Product: ATEmix: 3.46 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Manganese dioxide in vivo (Rabbit): Not Classified, 24 - 72 h

Thiram in vivo (Rabbit): Not irritant, 24 h

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Manganese dioxide Rabbit, 24 - 72 hrs: Not Classified

Thiram Rabbit, 24 - 72 hrs: Irritating

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.



Revision Date: 11/17/2022

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Thiram LC 50 (Oncorhynchus mykiss, 96 h): 0.046 mg/l Experimental result, Key

study

Aquatic Invertebrates

Product: No data available.

22/27



Revision Date: 11/17/2022

Specified substance(s):

Thiram EC 50 (Daphnia magna, 48 h): 0.38 mg/l experimental result Experimental

result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Thiram NOAEL (Pimephales promelas): 4.6 µg/l experimental result Experimental

result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Thiram NOAEL (Daphnia magna): 40 µg/l experimental result Experimental result,

Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Thiram 40 % (28 d) Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Thiram Log Kow: 1.73

Mobility in soil: No data available.

Other adverse effects: Very toxic to aquatic organisms.

13. Disposal considerations



Revision Date: 11/17/2022

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Thiram 10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances



Revision Date: 11/17/2022

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

<u>Chemical Identity</u> % by weight

Manganese dioxide 1.0% Thiram 1.0%

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Thiram Severely hazardous pesticide formulation- -- -

Kyoto protocol

Not applicable

VOC: When appropriately mixed with the other part, product has a VOC less water and exempt solvent of:

0 g/l

Regulatory VOC (less water and

0 g/l

exempt solvent)
VOC Method 310

: 0.00 %



Revision Date: 11/17/2022

Inventory Status:

Australia AICS: One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List: All components in this product are

listed on or exempt from the

Inventory.

EINECS, ELINCS or NLP: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.



Revision Date: 11/17/2022

16.Other information, including date of preparation or last revision

Revision Date: 11/17/2022

Version #: 2.1

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.