

Revision Date: 09/25/2015

SAFETY DATA SHEET

1. Identification

Material name: OB - EUCON SURESHOT AF - BULK GALLONS

Material: 019S 99

Recommended use and restriction on use

Recommended use: Additive Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD **CLEVELAND OH 44110** US

Contact person: **EH&S** Department Telephone: 216-531-9222

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Inhalation - dust and Category 4

Serious Eye Damage/Eye Irritation Category 1 Carcinogenicity Category 2

Unknown toxicity - Health

33.36 % Acute toxicity, oral 38.54 % Acute toxicity, dermal Acute toxicity, inhalation, vapor 100 % 38.54 % Acute toxicity, inhalation, dust or mist

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Unknown toxicity - Environment

Acute hazards to the aquatic 33.36 % environment 100 %

Chronic hazards to the aquatic

environment

Label Elements

Hazard Symbol:



Revision Date: 09/25/2015



Signal Word: Danger

Hazard Statement: Harmful if inhaled.

Causes serious eye damage. Suspected of causing cancer. Harmful to aquatic life.

Precautionary Statement: Prevention:

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use

personal protective equipment as required.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Aluminum Sulfate (Anhydrous)	10043-01-3	60 - 100%
Diethanolamine	111-42-2	3 - 7%
Glycerine	56-81-5	0.1 - 1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth thoroughly.

Inhalation: Move to fresh air.

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.



Revision Date: 09/25/2015

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Extreme irritation of eyes and mucous membranes, including burning and

tearing.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures:

No data available.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.



Revision Date: 09/25/2015

7. Handling and storage

Precautions for safe handling: Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities:

Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source	
Aluminum Sulfate (Anhydrous) - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2011)	
Diethanolamine - Inhalable fraction and vapor.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2011)	
Glycerine - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Glycerine - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	



Revision Date: 09/25/2015

Chemical name	type	Exposure Limit Values	Source	
Aluminum Sulfate (Anhydrous) - Respirable.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)	
Aluminum Sulfate (Anhydrous) - Respirable fraction.	TWAEV	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Aluminum Sulfate (Anhydrous) - as Al	TWA	2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)	
Diethanolamine	TWA	2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)	
Diethanolamine - Inhalable fraction and vapor.	TWAEV	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Diethanolamine	TWA	3 ppm 13 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)	

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Eye/face protection: Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

Skin Protection

Hand Protection: Use suitable protective gloves if risk of skin contact.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Do not get in eyes.



Revision Date: 09/25/2015

9. Physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Beige

Odor: Mild sour/acidic
Odor threshold: No data available.

pH: 2.2 - 2.7

Melting point/freezing point:No data available.Initial boiling point and boiling range:100 °C 212 °FFlash Point:No data available.Evaporation rate:Slower than Ether

Flammability (solid, gas):

No
Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.43

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Pacomposition temperature:
No data available.
Viscosity:
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and

chromates). Metals. Strong bases.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.



Revision Date: 09/25/2015

11. Toxicological information

Information on likely routes of exposure

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: Moderately irritating to skin with prolonged exposure.

Eye contact: Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 33,421.56 mg/kg

Dermal

Product: No data available.

Inhalation

Product: ATEmix: 5 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Aluminum Sulfate (Anhydrous)

in vivo (Rabbit, 12 - 72 hrs): Not irritating

Glycerine in vivo (Rabbit, 24 hrs): Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: Suspected of causing cancer.



Revision Date: 09/25/2015

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Diethanolamine Overall evaluation: Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Aluminum Sulfate (Anhydrous)

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 37 mg/l Mortality

Diethanolamine LC 50 (Fathead minnow (Pimephales promelas), 96 h): 1,200 - 1,580 mg/l

Mortality

Revision Date: 09/25/2015

Glycerine LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 51,000

- 57,000 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Aluminum Sulfate LC 50 (Water flea (Daphnia magna), 48 h): 38.2 mg/l Mortality

(Anhydrous) LC 50 (Common bay mussel,blue mussel (Mytilus edulis), 24 h): > 6,400

mg/I Mortality

Diethanolamine LC 50 (Water flea (Daphnia magna), 24 h): 140 - 180 mg/l Mortality

LC 50 (Ramshorn snail (Helisoma trivolvis), 96 h): > 100 mg/l Mortality LC 50 (Water flea (Daphnia magna), 96 h): > 100 mg/l Mortality LC 50 (Scud (Gammarus fasciatus), 96 h): > 100 mg/l Mortality LC 50 (Oligochaete, worm (Lumbriculus variegatus), 96 h): > 100 mg/l

Mortality

Glycerine LC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Aluminum Sulfate (Anhydrous)

NOAEL (Salmo salar, 30 d): 0.45 mg/l experimental result

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Aluminum Sulfate Atlantic salmon (Salmo salar), Bioconcentration Factor (BCF): 362 (Flow

(Anhydrous) through)

Partition Coefficient n-octanol / water (log Kow)



Revision Date: 09/25/2015

Product: No data available.

Specified substance(s):

Diethanolamine Log Kow: -1.43

Glycerine Log Kow: -1.76

Mobility in Soil: No data available.

Other Adverse Effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information

TDG:

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Aluminum Sulfate), 8, PG III

CFR / DOT:

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Aluminum Sulfate), 8, PG III

IMDG:

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Aluminum Sulfate), 8, PG III

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Aluminum Sulfate (Anhydrous)

5000 lbs.

Diethanolamine

100 lbs.



Revision Date: 09/25/2015

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

Aluminum Sulfate 5000 lbs.

(Anhydrous)

Diethanolamine 100 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Aluminum Sulfate 500 lbs

(Anhydrous)

Diethanolamine 500 lbs Glycerine 500 lbs

SARA 313 (TRI Reporting)

Chemical Identity

Diethanolamine

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Aluminum Sulfate (Anhydrous)

Diethanolamine

US. Massachusetts RTK - Substance List

Chemical Identity

Aluminum Sulfate (Anhydrous)

Diethanolamine

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Aluminum Sulfate (Anhydrous)

Diethanolamine



Revision Date: 09/25/2015

US. Rhode Island RTK

Chemical Identity

Aluminum Sulfate (Anhydrous)
Diethanolamine

Other Regulations:

Regulatory VOC (less water 0 g/l

and exempt solvent): VOC Method 310:

0.00 %

Inventory Status:

Australia AICS: All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP: All components in this product are listed on or

exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances: All components in this product are listed on or

exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): All components in this product are listed on or

exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: All components in this product are listed on or

exempt from the Inventory.

US TSCA Inventory: All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals: All components in this product are listed on or

exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List: All components in this product are listed on or

exempt from the Inventory.



Revision Date: 09/25/2015

16.Other information, including date of preparation or last revision

Revision Date: 09/25/2015

Version #: 2.0

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.